



BREACHING TOOLS



NEW! Non-Spark Door Ram BRO-RAM-ENF32NS

BROCO[®]

Broco introduces the first **Enforcer™** door ram with a non-spark striking surface. Engineered at the request of customers, the model BRO-RAM-ENF32NS features a high impact plastic face.

This new ram fills the middle of the Broco Enforcer lineup, weighing 32 lbs and having an overall length of only 21". Broco's original Enforcer ram is 37 lbs and 24" long while the Baby™ Enforcer weighs 25 lbs and is only 16" long.

Like the other Broco rams, the new 32NS features:

- **Reach-through handle** for easy one arm carry which keeps the Breacher's weapon hand free.
- Knurled rubber **non-slip grips**.
- **Rotating front handle** maintains proper front wrist alignment throughout arc of the swing.
- **Fixed rear handle to** prevent the rear wrist from rolling upon impact.
- **Steel knuckle guard** protects the front hand from door jambs.
- **Weight forward design** is thrown in front of the Breacher to maximize impact from hips and shoulders. Hits like a much larger ram.
- Balanced **slings point** and sling with quick release snap shackle.



BRO-RAM-ENF32NS, 21" OA length, 32 lb.

**Broco Enforcer rams have been NTOA
Member Tested and Recommended!**

Ask about Broco's agency T&E program!



BROCO[®]

BROCO BREACHER TRAINING DOOR

BROCO
MILITARY, TACTICAL,
FIRE & RESCUE



- **Emulates real door dimensions**

- Door thickness is only 1 ¾" so tool set and tool wrap are realistic
- Frame depth is 6" with 4 ¼" door inset

- **Three lock positions use wooden stakes, with a wood dowel for explosive breaching.**

- **Reinforced rubber pad over ram strike surface for reduced impact shock.**

- **Patent pending system for 'flex' between door and frame when prying/gapping for proper tool and wedge technique.**

- **Compact base plate eliminates struts that support most breach doors. Base is easily removed for hard mounting the door in a structure.**

- **Patent pending center training insert area accepts wood or metal door props from 24" – 32" wide.**

- Shoot multiple hinges and door locks without needing to reset each time. (Front side to back; frangible ammunition only.)

- Saw cut commercial metal door sections.

- **Explosive breach iterations with standard strip charge (inward opening, lock side only).**

The **Broco Breacher Training Door** is the most versatile Law enforcement and military training door supporting ram, pry, ballistic, hydraulic, saw and explosive breaches.

Perfect as a stand-alone door, it can easily be mounted into a shoot house or container.

The new accessory Security Screen Door Emulator pries from left and right and can be used for vehicle peels and vehicle pulls (full breakaway).

Heroes Don't Wait!

BROCO | RANKIN

Ultimate Breacher Tool (UBT) BRO-UBT-24D, BRO-UBT-26S, BRO-UBT-29F

BROCO[®]

The multi-purpose breaching tool.

Designed to be the one simple tool for First Responders, the Broco Ultimate Breacher Tool (UBT) combines four tools into one: a sledge, pry, ram and rake.

Whether it be an active shooter event, medical related or some other emergency, the first person on-scene needs basic entry capability that is easy to carry, easy to use.



The Pry Tool

Cold cut from AR500 armor plate, the UBT's pry head is tapered, angled and strong! The pry tip is 1.25" wide allowing it to also be used as a duckbill with lateral spreading capabilities.

The pry head is welded to a high strength chrome-moly shaft. The slotted sledge head wraps around that assembly and is welded in place. The shaft is reinforced with a 6" X 1" diameter solid steel insert for unparalleled strength.

The Door Ram

Reverse the grip on the handle of Broco's UBT and swing it across the body; the tool head becomes a ram for striking residential doors. The 'D' handle version is intuitive to ram with, allowing the operator to get plenty of power

UBT and swing it across the striking residential doors. to ram with, allowing the operator without his hands slipping.

The Rake

At some point someone will need to break a window and has incorporated a glass rake efficient clearing of broken

when they do, Broco to the underside of the pry tool for glass from the window frame.

The Lock Breaker (UBT-29F)

The newest version of the UBT incorporates a 'halligan' fork at the end of the handle for breaking padlocks and better levering of inward swinging doors. When used with the Broco Jimmy as a wedge, this is the UBT that enables one person do it all!

The Sledge

The UBT starts with an 8 lb sledge head, machined to fit the pry tool and handle. The sledge is used as a hammer to break, bend and open. When used with another UBT or Halligan, it will set the pry tip deeper in the gap.


BRO-UBT-26S, 26" OA length, 12 lb.



BRO-UBT-29F, 29" OA length, 14 lb.



BRO-UBT-24D, 24" OA length, 14 lb.



Hands Free Carry With a Single Point Sling

Broco's Ultimate Breacher Tool has a sling cup set into the top of the head for easy carrying using the included single point quick detach sling. An effective tool must be accessible to the operator and this method keeps the UBT at the ready without interfering with an operator's use of his weapon when approaching a target building.

BROCO[®]

NEW! For Tactical Breachers

Ultimate Breacher Tool

BRO-UBT-29F

BROCO

The Essential Breaching Tool

Designed to be the essential all-in-one tool for First Responders, the Broco Ultimate Breacher Tool (UBT) combines four tools in to one: Sledge, Pry, Ram and Rake.

The fork handle adds lock and chain breaking and hinge ripping capability and makes inward door prying easier.

This UBT is black oxide coated for low visibility and easily carried hands free with the included quick-detach sling.

When used with the Broco Jimmy as a wedge, this is the UBT that can let one person do it all!



The Sledge

The UBT sledge head is machined to fit the pry tool and handle. The sledge is used as a hammer to break, bend and open. Used with another UBT or Halligan to set a pry tip deeper in the gap.

The Door Ram

Swing the UBT across the body as a ram striking with power and without slippage.

The Rake

A glass rake has been incorporated to the underside of the pry tool for clearing glass after breaking windows.

Hands Free Carry With a Single Point Sling

An effective tool must be accessible to the operator. Broco's Ultimate Breacher Tool has a sling cup set into the top of the head for easy carrying using a single point quick detach sling.



The Pry Tool and Lock Breaker

The fork is forged and the pry head is cold cut from AR500 armor plate. The UBT's pry tip is tapered, angled and strong! The 1.25" width allows it to be used as a gapping tool.



BROCO[®]

The 'Jimmy'[™] Tactical Pry Bar BRO-PB-JIM

BROCO[®]

New from Broco[®], the forced entry torch leader-
The JIMMY'[™] Personal Tactical Pry Bar



Compact

- Easy to carry
- "Right size" comfort grip
- Angled tip for more leverage and control
- Secure in Molle
- Lanyard loop
- Heat-treated hardened steel
- Tested to 400 lbs

Many Uses

- Pry interior doors
- Force windows and transoms
- Lift flanges
- Prop doors
- Lever bus windows
- Create gaps for setting a Halligan or hydraulic spreader

**Can't get in?
'Jimmy' it!**

BRO-PB-JIM

The Broco 'Jimmy'[™] is only 10.5" long and weighs less than a half pound. Easy to carry. Easy to use.

• jim·my *verb*, to force open

Every member of the team, not just SWAT entry guys, should carry a 'Jimmy'[™]. Made from heat-treated hardened steel with high-density foam under a wrapped cord grip for comfort. 'Jimmy'[™] has a striking surface at the back end and a lanyard attaching loop.

This type tactical pry bar was innovated by NYPD ESU entry experts who identified the need for an easily carried multi-purpose tool to assist with forced entry of buildings, rooms and locked furnishings.



Uses include forcing interior doors, windows, and bus windows, breaking glass, punching holes through interior walls and so on. Get under the flange of a security door to make setting a Halligan easier. 'Jimmy'[™] is only 10.5" long and slides into the Molle on a vest for easy carrying.

BROCO[®]

Made in the U.S.A.

BROCO BRO-22-BC30F HIT BOLT CUTTERS



HIT Tools Bolt Cutters are Heavy Duty Center Cut bolt cutters with OSHA rated fiberglass handles. Cutter head blades are high quality industrial grade to cut locks, chain, cables, rebar, and fencing up to 3/8" diameter and Rockwell C42 hardness. Cutting blades are adjustable using indexable eccentric bolts for precise alignment.

Features

- For general purpose use, designed for cutting medium steel and soft bolts, nuts, rods, chain, etc.
- Maximum hardness of material to be cut: Brinell 370/Rockwell C42, 85 Tons/Sq. 133 Kg/square mm.
- Jaws are made of drop forged high grade alloy tool steel with heat treated, precision cutting edges for longer cutting life.
- Large diameter fiberglass handles for gripping firmly, comfortably and safely.
- Exceeds U.S. Federal specification number GGG-C-740d Type II. Tested per OSHA 1926.951 (d).
- Steel cutter head manufactured in Japan. Fiberglass handles manufactured and installed in the U.S.A.

TECHNICAL SPECIFICATIONS

Size 30"

Cut Thickness 3/8"

Maximum hardness at 3/8" is RC42/Brinell 370

The Mini Breaching Saw BRO-60V-Kit

BROCO[®]

Now Stronger, More Powerful & Longer Battery Life!

60 Volt Cutoff Tool Kit

Adapted for use with 7" Broco Mini-Ripper™ diamond blades this super lightweight tool bridges the gap between bolt cutters and gasoline powered quickie saws. Races through steel, and poly carbonate (Plexiglas). Relatively quiet operation and instant start.

Ideal for cutting chains, hardened locks and window bars. Can be used on outward opening doors to cut bolt throws. Cut metal security door frames to disengage locksets.

60 volt power, brushless motor, and longer battery life coupled with the high speed performance of Broco's Mini-Ripper™ blades put more options at the breacher's disposal.



More powerful

- 60 volt brushless motor
- Longer lasting batteries
- Instant startup
- Blade brake

Lightweight

- Easy to carry
- More control

Diamond Ripper™ blades feature

- 7" blade has more depth of cut
- Double layer diamond brazed cutting edge
- Extra long blade life
- Smooth performance

Broco's 60 Volt Cutoff Tool Kit is also for rescue. Cut vehicle sheet metal including 'B' pillars. Cut laminated safety glass quickly and easily.

A stronger portable saw to do it all!

BRO-60V-KIT

60 volt cordless cutoff tool set. Includes 60v Dewalt® cutoff tool, blade guards (4.5" & 7"), handle yoke, 2 batteries, charger, 2ea 4.5" diamond blades, 2ea 7" diamond blades, and case.



Broco 7" blade guard, handle yoke and Mini-Ripper™ diamond blades are available separately to upgrade customers' existing 60V Dewalt® cordless cutoff tools.

BROCO[®]

Mini-Tac Breaching Torches

PC/MTMODAL & PC/MTMD15EZ



Exothermic torches were originally conceived and configured for demolition & maintenance applications involving the rapid cutting of thick metal, or unusual metal alloys. It was this capability which eventually led to 'Thermal Breaching,' the use of exothermic torches for the speedy removal of metal barriers by military, law enforcement and rescue personnel.

Exothermic torches are extremely portable, powerful and easy to use. Oxygen gas and a consumable cutting rod are the 'fuel' for this 10,000°F cutting torch. Environments include Urban Operations, Armored Vehicle Rescue and Maritime Breaching.

PC/MTMODAL (PC/MTMOD1), Mini-Tac Torch Set

Broco Mini-TAC (models PC/MTMODAL & PC/MTMOD1) has awesome exothermic power in a compact package. Each oxygen cylinder (2 are included) will support two 3/8" x 18" cutting rods, yielding 12" – 16" of cut per rod. (Cut estimate is based on 3/4" – 1" thick mild steel.) One rod is typically all that is needed to take out a security door, window bars, gate, etc.

PC/MTMODAL is recommended as the "go to" set for law enforcement and military customers without access to an oxygen booster pump. (PC/MTMOD1 is for military customers who have high pressure oxygen booster pumps to fill 3,000 psi composite bottles.)

Compared to a backpacked set the Mini-Tac:

- Is smaller and easier to carry in use, easier to discard, and has less storage footprint in the vehicle.
- Includes an oxygen transfill hose to jam the bottles from a big bottle which reduces the downtime and reduces costs.
- Has lower initial cost.



PC/MTMD15EZ, Easylight Version Tactical Torch Set

With the growing popularity of Broco's Easylight (9V battery ignition) cutting rods, there is no longer a need for a 12V battery for operational use.

Broco has introduced 'Easylight' versions of the backpacked tactical torch and Mini-Tac torch sets as lower cost options for customers who are exclusively using Easylight rods or RapidFire cutting rod igniters with standard rods as their operational go-to. These torch sets still include a striker plate with 20' cable for economical training using a 12V car battery and standard cutting rods. Easylight torch sets also come standard with an oxygen transfill hose and the new SNAP quick connect cutting rod system.



Easylight2 cutting rods light from the spark of a 9V battery, mechanical sparker or open flame, eliminating the need for carrying a 12V battery and striker plate on operations.

The accessory 9V striker protects the 9V battery terminals from heat and flame extending battery life to achieve 50-60 rod lights/battery.

